《量子物理与材料化学杂志(ISSN 2958-4027)》
Journal of Quantum Physics and Materials Chemistry (ISSN 2958-4027)

ChengZhu Science™

Serial in November, 2022

ChengZhu Science Research Center Limited

(Hong Kong Registration NO. 80561228)

Journal article DOI is registered via JiangXi Province ChengZhu Environmental Engineering Company Ltd, with Crossref membership (DOI prefix 10.58473)

出版人：　刘焕　香江出版社有限公司

Publisher: Liu Huan,　Xiangjiang Publishing Company Ltd.



Copyrights Statements

Copying and Transferring is Forbidden!

版权申明

禁止复制、转载！

All the intellectual property (mainly including the original academic knowledges and brand logo) are prohibited to copy or transfer into other publications or websites. To cite this article, only short quote is acceptable, but copying or transferring any substantial part of this article is NOT allowed (Defined in <Copyright Ordinance> in Hong Kong). The original academic knowledge is the substantial part of an article as academic journal. For learning purpose, it is allowed to read our website in online video class only. This journal is published by Hong Kong Publisher, and the copyrights is regulated and protected by <Copyright Ordinance> in Hong Kong, China. This PDF document is accessible to public only through Hong Kong domain websites (natural-foundation-science.org), and its printed version is the formally published journal. Without permission, it is NOT allowed to print, issue and sale.

所有形式知识产权（主要包括原创型学术知识和品牌标识）禁止复制、转载到其他出版物和网站。如果需要引用这篇论文，仅仅允许简短引述，但是禁止复制、转载这篇论文中任何实质性部分（香港《版权条例》中定义）。作为学术杂志，这篇论文中的原创型学术知识即为作品的实质性部分。仅仅允许以学习为目的在线视频课堂阅读本公司网站。本杂志由香港出版社出版，其版权受中国香港《版权条例》监管和保护。此 PDF 文档仅仅通过香港主机网站向公众公开 (natural-foundation-science.org)，并且其印刷版本杂志为正式出版物。未经许可，不得印刷、发行、销售。

Article 6. Van der Waals force and Dark Matter/范德华力与暗物质

Author: Liu Huan (1983-), Master of Science (First Class Honours, 2009), The University of Auckland.

DOI: https://doi.org/10.58473/JQPMC0006

Formally published on 15/11/2022; Latest revised on 28/10/2026.

Abstract
Dark matter theory is re-defined by this article, and the relationship between material characteristics and dark matter is further demonstrated to reveal the basic nature of dark matter.

Key words: Dark matter, Van der Waals force, Gravity, adhesion force, resilience.

Discussion
Dark matter theory was firstly proposed by astronomy physicists, and its existence was indirectly proven by the gravitation calculation between asters. Subsequently, dark matter was also detected by particle collision experiment, and its theory was established on the basis of high-dimensional space of relativity [1]. Next it is to re-define the dark matter theory in my article:

Dark matter is a kind of energy binder underlying in the fourth dimensional space that polymerizes atoms, molecules and the other micro-particles of three-dimension spaces, which makes these micro-particles form an aggregate like a necklace, and thus produces a kind of torsion force, which is called space-time torsion. This conforms to the torque theorem of materials in mechanics. Gravitation, Van der Waals force and inter-atomic force all conform to the nature of space-time torsion. The stable materials assembly binding by dark matter produces a non-linear buffer force against the external destructive force, which is the principle of torque theorem. The adhesive force of dark matter meets the principle of fluid mechanics. In this article, the torque theorem of solid materials in mechanics is introduced as an example, which is more stable and less disturbed by the other external forces as compared to atmospheric and liquid materials. Because of the existence of dark matter, the conversion of energy between different natures (such as conversion between mechanical energy and magnetic energy) must be based on the calculations of four-dimensional space. The conversion theorem based only on the calculation of three-dimensional space can hardly stand.

The molecular structure is usually similar to the internal structure of the atom, which leads to internal neutralization and shield effect during the revolution motion, but it is weaker. The reason is that the binder of the fourth dimension dark matter makes the movement of elementary particles inside molecules more parallel to the fourth dimension axis, while the motion of particles inside atoms is more vertical relatively to the fourth dimension axis. This also makes the electric field effect by the cutting

motion of the elementary particles in the molecules relatively to the magnetic line of fourth axis weaker, compared with atoms. Consequently, the higher the binding force of dark matter, the less electric charges in the proton and electron, the more restricted motions of free electrons, and the less conductivity of the materials. Furthermore, in physical chemistry, the conductivity of single atom materials (such as metals) or single element crystals (such as graphite) is generally higher than that of multi-elements chemical compounds in common/normal conditions (not superconductivity condition), which is closely related to the adhesion properties of dark matter. Generally, the adhesive force required by single element polymer is less than that of multi-elements form polymer.

Next it is to discuss the relationship between thermal motion of micro-particles and dark matter: under the condition of high temperature, the internal/thermal energy of materials increases, and the movement that micro-particles collide with each other randomly accelerates, so the required adhesion force by the energy binder of dark matter increases. On the other hand, the closer to absolute zero temperature, the more slowly the micro particles collide with each other randomly, so the weaker adhesion force is required by dark matter energy binder. Therefore, superconductor conditions are formed at low temperature. It provides the inverse deduced/demonstrated methods through the data conclusion of molecules in three-dimensional space to extrapolate the adhesion of dark matter on the fourth dimension axis. This thermal motion is a kind of repetitive pulling-contraction motion, and the effect of thermal motion on dark matter reflects that resilience is also the intrinsic characteristics of dark matter, which adjusts its adhesion force under varying thermal motion conditions. When materials is fresh, the resilience is active, so thermal motion of repetitive pulling-contraction is relatively free; However, when materials turn to be aging, this resilience of dark matter becomes inactive, so thermal motion of repetitive pulling-contraction is relatively restricted. In summary, the adhesion force and the resilience adjusting the adhesion force under varying thermal motion conditions are two basic characteristics of dark matter.

Due to the adhesion force of dark matter on the fourth dimensional axis, micro particle aggregates of stable form generate non-linear buffering resistance to external destructive forces, resulting in non-linear cutting stress on the surface of macro objects, which is called frictional resistance. The greater the adhesive force of dark matter, the higher the frictional resistance coefficient, and this logical relationship is reversible. Thus, the adhesion of dark matter can be measured according to the frictional resistance coefficient of specific substances. In another article, it has been discussed that material aging is caused by the decay of dark matter adhesion [2]. Therefore, material aging reduces the friction resistance coefficient, further supporting this logical relationship. Next it is to design physical experiment: there are three different metal materials selected to forge friction plates. One is iron, one is copper extracted from fresh ore materials, and the other is copper that has been used for a long time and is recycled. The three metal materials are manufactured into friction plates using the same forging process, and their respective friction resistance coefficients are measured. It is to assume that the forging process is the same so the surface roughness of different metal plates is also the same, and then the difference in friction resistance coefficient of metal plates made of different metal materials is the difference in adhesion forces of dark matter.

关键知识点译文：

暗物质理论最初由天体物理学物理学家提出，暗物质的存在是通过恒星之间的引力计算得到了间接证实。随后，暗物质还通过粒子碰撞实验被探测到，暗物质理论是基于高维度空间相对论得以建立的[1]。接下来，本文将重新界定暗物质理论：

暗物质为第四维度空间中，聚合原子、分子等三维空间微观粒子的能量粘合剂，使得这类粒子像串项链一样生成集合体，从而产生了一种扭力，称为时空扭力，在力学上符合材料的扭矩定理。万有引力、范德华力、原子间作用力都符合时空扭力的性质。稳定型的暗物质微观粒子集合体相对于外来作用破坏力产生非直线型缓冲对抗力，这就是扭矩定理的产生原理。暗物质的粘合力符合流体力学的定理；本文把固体材料中的扭矩定理作为例子，与气态、液态物质相比更为稳定，受到较少其它外力因素干扰。暗物质的存在，使得能量在不同性质间（比如机械能与磁场能之间）的转换必须建立在四维空间上，仅仅是三维空间中的转换定理是无法成立的。

分子结构通常也跟原子内部结构一样，在公转过程中有内部中性屏蔽作用，但是更为微弱一些。原因是第四维度暗物质的粘合剂使得分子内部微观粒子相对于第四维度轴的运动更加趋向于平行切线运动，而原子内部粒子相对于第四维度轴的运动是更加趋向于垂直运动。这也使得分子中的微观粒子相对于第四维度轴的磁力线所进行的切割运动产生的电场效应更弱一些。因此，暗物质的粘合力越高，质子和电子中的电荷量就越少，自由电子的运动就越受限，材料的导电性也就越低。进一步拓展，物理化学中单原子形态存在的物质（比如金属）或是单晶体（比如石墨）物质的导电性能在常态条件下（非超导条件）普遍高于多元素化学物质的导电性能，与暗物质的粘合力特性有很大关联。通常单元素物质形态聚合体所需要的粘合力小于多元素物质形态聚合体。

接下来，将探讨微粒的热运动与暗物质之间的关系：物质在高温条件下，内能增加，微观粒子相互随机碰撞运动加剧，从而对暗物质能量粘合力增加。反之，越接近绝对零度，微观粒子相互随机碰撞运动减缓，从而对暗物质能量粘合力减弱。因此，超导体条件都形成于低温条件。这正好可以从分子在三维空间的数据结论逆向反证出其在第四维度轴上暗物质的粘合力，提供了反证推算方法。这种热运动是一种重复性的拉伸—收缩运动，而且热运动对暗物质的影响表明，弹性也是暗物质的内在特性，它会在不同的热运动条件下调节其粘附力。当材料处于新鲜状态时，弹性处于活跃状态，因此重复性拉伸—收缩的热运动相对自由；然而，当材料逐渐老化时，暗物质的这种弹性会进入非活跃状态，因此重复性拉伸—收缩的热运动相对受限。综上所述，粘附力以及在不同热运动条件下调节粘附力的弹性，是暗物质的两个基本特性。

稳定形态的微观粒子集合体由于暗物质在第四维度轴上的粘合力，对外来作用破坏力产生非直线的缓冲抵抗力，因此在宏观物体的表面产生非直线性切割应力即为摩擦阻力。暗物质的粘合力越大，摩擦阻力系数更高，此逻辑关系可逆。从而可以根据特定物体摩擦阻力系数测定暗物质粘合力。另一篇文章中论述了材料衰老是由于暗物质粘合力衰减造成的[2]，因此材料衰老使得摩擦阻力系数减少，

进一步佐证这一逻辑关系。设计物理实验：选择三种不同金属材料锻造成摩擦片，一种为铁、一种为新鲜矿石材料提炼的铜，另一种为使用年限久远并且回收利用的铜，三种金属材料用相同锻造工艺制造成摩擦片，分别测试各自的摩擦阻力系数。假设锻造工艺相同，不同金属片表面的粗糙度也相同，因此不同金属材料制造的金属片摩擦阻力系数的差异即为暗物质粘合力的不同。

References:

[1].暗物质。搜狗百科。

[2].Liu Huan. (2021). The Principal of Thermodynamics: The Inner Energy, Energy Loss and Materials Perishing. Journal of Environment and Health Science (ISSN 2314-1628), 2021(02). https://doi.org/10.58473/JQPMC0008